

FAST - [10708023.wsp.1]				Page 1 of 1	
File Edit Tools Window Help				10/19/2004 10:13:21 AM	
D G H I J K L M N O P Q R S T U V W X Y Z				10/19/2004 10:13:21 AM	
Saved				10/19/2004 10:13:21 AM	
Type	Hits	Search Text	DBs	Time Stamp	
(7) (1	BRS 7 ("5232865" or "5330930" or "5665629" or "5830638" or "6117792" or "20030116820" or	USPAT: US-PGPUB	2004/08/19	
(16) (2	BRS 16 (((resistor with (contact\$1hole or via\$1hole or ("via" or contact) adj hole)) and ((257/\$3.cor.) or (438/\$3.cor.) or (365/\$3.cor.)) and (@ad<20040204 or @rlad<20040204)) and resistor	USPAT: US-PGPUB	2004/08/19	
(3) (r	3	BRS 5 ((resistor with (contact\$1hole or via\$1hole or ("via" or contact) adj hole)) and ((257/\$3.cor.) or (438/\$3.cor.) or (365/\$3.cor.)) and (@ad<20040204 or @rlad<20040204)) and resistor	USPAT: US-PGPUB	2004/08/19	
(8) (r	4	BRS 3 (resistor with (contact\$1hole or via\$1hole or ("via" or contact) adj hole)) and ((257/\$3.cor.) or (438/\$3.cor.) or (365/\$3.cor.)) and (@ad<20040204 or @rlad<20040204)) and resistor	USPAT: US-PGPUB	2004/08/19	
(5) (l	6	BRS 1 (vertical adj resistor) and ((257/\$3.cor.) or (438/\$3.cor.) or (365/\$3.cor.)) and (@ad<20040204 or @rlad<20040204)) and resistor	USPAT: US-PGPUB	2004/08/19	
(2) (r	6	BRS 8 (resistor with (trench or groove)) and ((257/\$3.cor.) or (438/\$3.cor.) or (365/\$3.cor.)) and (@ad<20040204 or @rlad<20040204)) and resistor	USPAT: US-PGPUB	2004/08/19	
(1) (v	7	BRS 2 (vertical adj resistor) and ((257/\$3.cor.) or (438/\$3.cor.) or (365/\$3.cor.)) and (@ad<20040204 or @rlad<20040204)) and resistor	USPAT: US-PGPUB	2004/08/19	
(8) (r	8	BRS 13 (vertical adj resistor) and (bipolar or bit) and (@ad<20040204 or @rlad<20040204)) and resistor	USPAT: US-PGPUB	2004/08/19	
(2) (v	9	BRS 13 ((vertical adj resistor) and (bipolar or bit) and (@ad<20040204 or @rlad<20040204)) and resistor	USPAT: US-PGPUB	2004/08/19	
(13) (10	BRS 5 "5899724"	USPAT: US-PGPUB	2004/08/19	
(13) (11	BRS 2 (resistor with (trench or groove)) and ((257/\$3.cor.) or (438/\$3.cor.) or (365/\$3.cor.)) and (@ad<20040204 or @rlad<20040204)) and resistor	USPAT: US-PGPUB	2004/08/19	
(5) "5	12	BRS 0 (vertical adj resistor) and (((bipolar or bit or transistor) with (si\$1qe or (si adj qe) or (silicon adj gema	USPAT: US-PGPUB	2004/08/19	
(9) (r	13	BRS 8 (resistor with (contact\$1hole or via\$1hole or ("via" or contact) adj hole)) and ((257/\$3.cor.) or (438/\$3.cor.) or (365/\$3.cor.)) and (@ad<20040204 or @rlad<20040204)) and resistor	USPAT: US-PGPUB	2004/08/19	
(0) (v	14	BRS 0 (resistor with (contact\$1hole or via\$1hole or ("via" or contact) adj hole)) and (((polysilicon or poly\$1si o	USPAT: US-PGPUB	2004/08/19	
(0) (r	15	BRS 1 (resistor with (sputter or cvd or sputtered or sputtering)) and (((polysilicon or poly\$1si or (poly adj si) o	USPAT: US-PGPUB	2004/08/19	
(1) (r	16	BRS 34 ((polysilicon or poly\$1si or (poly adj si) or poly\$1silicon) adj resistor) and (((bipolar or bit or transistor	USPAT: US-PGPUB	2004/08/19	
(34) (17	BRS 26 "4416049"	USPAT: US-PGPUB	2004/08/19	
(26) *	18	BRS 0 ((bipolar or bit or transistor) with (si\$1qe or (si adj qe) or (silicon adj gemanium) or silicon\$1germanium)	USPAT: US-PGPUB	2004/08/19	
(0) (l	19	BRS 0 (resistor with (trench or groove)) and ("4416049")	USPAT: US-PGPUB	2004/08/19	
(0) (r	20	BRS 0 (resistor with (plug)) and ("4416049")	USPAT: US-PGPUB	2004/08/19	
(0) (r	21	BRS 5 "6465870"	USPAT: US-PGPUB	2004/08/19	
(0) (l	22	BRS 3 (resistor with (plug)) and (((bipolar or bit or transistor) with (si\$1qe or (si adj qe) or (silicon adj gema	USPAT: US-PGPUB	2004/08/23	
(0) (r	23	BRS 0 (resistor adj plug) and (((bipolar or bit or transistor) with (si\$1qe or (si adj qe) or (silicon adj gema	USPAT: US-PGPUB	2004/08/23	
(0) (r	24	BRS 1 "5441914".PN.	USPAT	2004/08/23	
(3) (r	25	BRS 1 "5254493".PN.	USPAT	2004/08/23	
(5) "6	26	BRS 14 ("6300180"	USPAT: US-PGPUB	2004/08/23	
(0) (r	27	BRS 7 ("4690728"	USPAT: US-PGPUB	2004/08/23	
(4) (r	28	BRS 0 ((vertical adj2 resistor) and ((257/\$3.cor.) or (438/\$3.cor.) or (365/\$3.cor.)) and (@ad<20040204 or @rlad<20040204)) and resistor	USPAT: US-PGPUB	2004/08/23	
(14) (29	BRS 2 ((vertical adj2 resistor) and ((257/\$3.cor.) or (438/\$3.cor.) or (365/\$3.cor.)) and (@ad<20040204 or @rlad<20040204)) and resistor	USPAT: US-PGPUB	2004/08/23	
(10) (30	BRS 0 (vertical adj2 resistor) and ((contact or stud or plug) with recess)	USPAT: US-PGPUB	2004/08/23	
(1) "5	31	BRS 0 (vertical adj2 resistor) and ((contact or stud or plug) with recess)	USPAT: US-PGPUB	2004/08/23	
(7) *	32	BRS 0 ((vertical adj2 resistor) and ((257/\$3.cor.) or (438/\$3.cor.) or (365/\$3.cor.)) and (@ad<20040204 or @rlad<20040204)) and resistor	USPAT: US-PGPUB	2004/08/23	
(0) (l	33	BRS 0 ((vertical adj2 resistor) and ((257/\$3.cor.) or (438/\$3.cor.) or (365/\$3.cor.)) and (@ad<20040204 or @rlad<20040204)) and resistor	USPAT: US-PGPUB	2004/08/23	
(0) (l	34	BRS 10 (("6300180"	USPAT: US-PGPUB	2004/08/23	
(2) (v	35	BRS 1 (vertical adj2 resistor) and (half with (contact or stud or plug))	USPAT: US-PGPUB	2004/08/23	
(0) (l	36	BRS 13 "5254493"	USPAT: US-PGPUB	2004/08/23	
(0) (l	37	BRS 9 ("5254493" and (@ad<20040204 or @rlad<20040204)) and resistor	USPAT: US-PGPUB	2004/08/23	
(0) (l	38	BRS 1 "6093968".PN.	USPAT	2004/08/23	
(2) (v	39	BRS 1 "5554870".PN.	USPAT	2004/08/23	
(0) (v	40	BRS 21 ((resistive with stud)) and ((257/\$3.cor.) or (438/\$3.cor.) or (365/\$3.cor.)) and (@ad<20040204 or @rlad<20040204)) and resistor	USPAT: US-PGPUB	2004/08/23	
(0) (l	41	BRS 13 "5254493" and (@ad<20040204 or @rlad<20040204)) and resistor	USPAT: US-PGPUB	2004/08/23	
(1) (v	42	BRS 25 (US-5665629-\$ or US-5232865-\$ or US-4946798-\$ or US-4933739-\$ or US-5899724-\$ or US-4416049-\$	USPAT: US-PGPUB	2004/08/23	
(13) *	43	RRS 0 (((US-5665629-\$ or US-5232865-\$ or US-4946798-\$ or US-4933739-\$ or US-5899724-\$ or US-4416049-\$	USPAT: US-PGPUB	2004/08/23	

4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60	61	62	63	64	65	66	67	68	69	70	71	72	73	74	75	76	77	78	79	80	81	82	83	84	85	86	87	88	89	90	91	92	93	94	95	96	97	98	99	100
---	---	---	---	---	---	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	-----

FAST - [10708023.wsp.1]									
File View Edit Tools Window Help									
D [Icons] [Buttons] [Icons] [Buttons]									
Saved									
		Type Hts	Search Text				DBs	Time Stamp	
(7) (85	BRS 27	(((stud or plug) adi resistor) and (@ad<20040204 or @rlad<20040204)) and semiconductor				USPAT, US-PGPUB	2004/09/03	
(16) (86	BRS 3	"6624526" and resistor				USPAT, US-PGPUB	2004/09/03	
(3) (r	87	BRS 13	"4290185"				USPAT, US-PGPUB	2004/09/03	
(8) (r	88	BRS 2	"6245627"				USPAT, US-PGPUB	2004/09/03	
(5) (l	89	BRS 8	("4727045"				USPAT, US-PGPUB	2004/09/03	
(2) (r	90	BRS 1	"20020172074" and resistor				USPAT, US-PGPUB	2004/09/03	
(1) (v	91	BRS 8	("6300180" "5938044") and (@ad<20040204 or @rlad<20040204)				USPAT, US-PGPUB	2004/09/03	
(8) (r	92	BRS 26	"5232865" and (@ad<20040204 or @rlad<20040204)				USPAT, US-PGPUB	2004/09/03	
(2) (v	93	BRS 7	"5232865"				USPAT, US-PGPUB	2004/09/03	
(13) (94	BRS 0	silicon adi implanted adi nitride				USPAT, US-PGPUB	2004/09/03	
(13) (95	BRS 20	silicon adi implanted adi oxide				USPAT, US-PGPUB	2004/09/03	
(5) *5	96	BRS 25	("5232865" and (@ad<20040204 or @rlad<20040204)) and resistor				USPAT, US-PGPUB	2004/09/05	
(9) (r	97	BRS 0	(resistor with refractive) and ((US-6333542-\$ or US-6177701-\$ or US-6069398-\$ or US-6100126-\$ or US				USPAT, US-PGPUB	2004/09/05	
(0) (v	98	BRS 5	(resistor with refractory) and ((US-6333542-\$ or US-6177701-\$ or US-6069398-\$ or US-6100126-\$ or U				USPAT, US-PGPUB	2004/09/05	
(0) (r	99	BRS 0	(((resistor with refractive)) and (@ad<20040204 or @rlad<20040204)) and (resistor with (plug or stud))				USPAT, US-PGPUB	2004/09/05	
(0) (r	100	BRS 2	("5422296"				USPAT, US-PGPUB	2004/09/05	
(1) (r	101	BRS 16	(resistor with ((sputter or sputtered or sputtering) near silicon))				USPAT, US-PGPUB	2004/09/06	
(34) (102	BRS 16	((resistor with ((sputter or sputtered or sputtering) near silicon)) and (@ad<20040204 or @rlad<20040				USPAT, US-PGPUB	2004/09/06	
(26) *	103	BRS 16	((sputter or sputtered or sputtering) near silicon) and (@ad<20040204 or @rlad<20040204) and (silicon				USPAT, US-PGPUB	2004/09/06	
(0) ((104	BRS 14	(((sputter or sputtered or sputtering) near silicon) and (@ad<20040204 or @rlad<20040204) and (silicon				USPAT, US-PGPUB	2004/09/06	
(0) (r	105	BRS 9	(((sputter or sputtered or sputtering) with silicon) and (@ad<20040204 or @rlad<20040204) and ((am				USPAT, US-PGPUB	2004/09/06	
(0) (r	106	BRS 21	(((resistor same ((sputter or sputtered or sputtering) near silicon)) and (@ad<20040204 or @rlad<200				USPAT, US-PGPUB	2004/09/06	
(3) (r	107	BRS 5	("5907175" "6297083") and (@ad<20040204 or @rlad<20040204)				USPAT, US-PGPUB	2004/09/06	
(5) *6	108	BRS 14	((sputter or sputtered or sputtering) with silicon) and (@ad<20040204 or @rlad<20040204) and ((amo				USPAT, US-PGPUB	2004/09/06	
(0) ((109	BRS 1	((sputter or sputtered or sputtering) with silicon) and (@ad<20040204 or @rlad<20040204) and ((amo				USPAT, US-PGPUB	2004/09/06	
(0) ((110	BRS 1	((sputter or sputtered or sputtering) with silicon) and (@ad<20040204 or @rlad<20040204) and ((amo				USPAT, US-PGPUB	2004/09/06	
(0) (v	111	BRS 5	"5907175" "6297083"				USPAT, US-PGPUB	2004/09/06	
(4) (r	112	BRS 2	("5907175" "6297083").pn.				USPAT, US-PGPUB	2004/09/06	
(14) (113	BRS 8	("4924295"				USPAT, US-PGPUB	2004/09/06	
(10) (114	BRS 16	((resistor with ((sputter or sputtered or sputtering) near silicon)) and (@ad<20040204 or @rlad<20040				USPAT, US-PGPUB	2004/09/06	
(1) *5	115	BRS 9	((resistor with (sputter or sputtered or sputtering)) and (@ad<20040204 or @rlad<20040204) and (resi				USPAT, US-PGPUB	2004/09/06	
(7) *	116	BRS 14	(((resistor with (sputter or sputtered or sputtering)) and (@ad<20040204 or @rlad<20040204) and (resi				USPAT, US-PGPUB	2004/09/06	
(0) ((117	BRS 13	((((resistor with (sputter or sputtered or sputtering)) and (@ad<20040204 or @rlad<20040204) and (re				USPAT, US-PGPUB	2004/09/06	
(0) ((118	BRS 0	((US-5665629-\$ or US-5232865-\$ or US-6177701-\$ or US-6333542-\$ or US-6069398-\$ or US-6100126-				USPAT, US-PGPUB, JPO	2004/09/06	
(2) (v	119	BRS 3	((US-5665629-\$ or US-5232865-\$ or US-6177701-\$ or US-6333542-\$ or US-6069398-\$ or US-6100126-				USPAT, US-PGPUB, JPO	2004/09/06	
(0) ((120	BRS 8	("5330930"				USPAT, US-PGPUB	2004/09/06	
(0) (v	121	BRS 0	((sputter or sputtered or sputtering) with silicon) and (@ad<20040204 or @rlad<20040204) and ((amo				USPAT, US-PGPUB	2004/09/06	
(0) (v	122	BRS 7	((resistor with (sputter or sputtered or sputtering)) and (@ad<20040204 or @rlad<20040204) and (resi				USPAT, US-PGPUB	2004/09/06	
(0) (v	123	BRS 17	((resistor with (sputter or sputtered or sputtering)) and (@ad<20040204 or @rlad<20040204) and (resi				USPAT, US-PGPUB	2004/09/06	
(2) (v	124	BRS 2	"6130462" and (@ad<20040204 or @rlad<20040204)				USPAT, US-PGPUB	2004/09/06	
(0) (v	125	BRS 0	((amorphous with ((poly adi (si or silicon)) or poly\$1si or poly\$1silicon) with lpcvd)) and "6130462"				USPAT, US-PGPUB	2004/09/06	
(0) (v	126	BRS 0	((amorphous with ((poly adi (si or silicon)) or poly\$1si or poly\$1silicon) with lpcvd)) and 6130462.pn.				USPAT, US-PGPUB	2004/09/06	
(1) (v	127	BRS 18	(crvstalline with ((poly adi (si or silicon)) or poly\$1si or poly\$1silicon) with lncvd)				USPAT, US-PGPUB	2004/09/06	
(13) *									
Document Item Document Item Document Item Document Item Document Item Document Item Document Item Document Item Document Item Document Item									
File View Edit Tools Window Help									
D [Icons] [Buttons] [Icons] [Buttons]									
Saved									
		Type Hts	Search Text				DBs	Time Stamp	
(7) (85	BRS 27	(((stud or plug) adi resistor) and (@ad<20040204 or @rlad<20040204)) and semiconductor				USPAT, US-PGPUB	2004/09/03	
(16) (86	BRS 3	"6624526" and resistor				USPAT, US-PGPUB	2004/09/03	
(3) (r	87	BRS 13	"4290185"				USPAT, US-PGPUB	2004/09/03	
(8) (r	88	BRS 2	"6245627"				USPAT, US-PGPUB	2004/09/03	
(5) (l	89	BRS 8	("4727045"				USPAT, US-PGPUB	2004/09/03	
(2) (r	90	BRS 1	"20020172074" and resistor				USPAT, US-PGPUB	2004/09/03	
(1) (v	91	BRS 8	("6300180" "5938044") and (@ad<20040204 or @rlad<20040204)				USPAT, US-PGPUB	2004/09/03	
(8) (r	92	BRS 26	"5232865" and (@ad<20040204 or @rlad<20040204)				USPAT, US-PGPUB	2004/09/03	
(2) (v	93	BRS 7	"5232865"				USPAT, US-PGPUB	2004/09/03	
(13) (94	BRS 0	silicon adi implanted adi nitride				USPAT, US-PGPUB	2004/09/03	
(13) (95	BRS 20	silicon adi implanted adi oxide				USPAT, US-PGPUB	2004/09/03	
(5) *5	96	BRS 25	("5232865" and (@ad<20040204 or @rlad<20040204)) and resistor				USPAT, US-PGPUB	2004/09/05	
(9) (r	97	BRS 0	(resistor with refractive) and ((US-6333542-\$ or US-6177701-\$ or US-6069398-\$ or US-6100126-\$ or US				USPAT, US-PGPUB	2004/09/05	
(0) (v	98	BRS 5	(resistor with refractory) and ((US-6333542-\$ or US-6177701-\$ or US-6069398-\$ or US-6100126-\$ or U				USPAT, US-PGPUB	2004/09/05	
(0) (r	99	BRS 0	(((resistor with refractive)) and (@ad<20040204 or @rlad<20040204)) and (resistor with (plug or stud))				USPAT, US-PGPUB	2004/09/05	
(0) (r	100	BRS 2	("5422296"				USPAT, US-PGPUB	2004/09/05	
(1) (r	101	BRS 16	(resistor with ((sputter or sputtered or sputtering) near silicon))				USPAT, US-PGPUB	2004/09/06	
(34) (102	BRS 16	((resistor with ((sputter or sputtered or sputtering) near silicon)) and (@ad<20040204 or @rlad<20040				USPAT, US-PGPUB	2004/09/06	
(26) *	103	BRS 16	((sputter or sputtered or sputtering) near silicon) and (@ad<20040204 or @rlad<20040204) and (silicon				USPAT, US-PGPUB	2004/09/06	
(0) ((104	BRS 14	(((sputter or sputtered or sputtering) near silicon) and (@ad<20040204 or @rlad<20040204) and (silicon				USPAT, US-PGPUB	2004/09/06	
(0) (r	105	BRS 9	(((sputter or sputtered or sputtering) with silicon) and (@ad<20040204 or @rlad<20040204) and ((am				USPAT, US-PGPUB	2004/09/06	
(0) (r	106	BRS 21	(((resistor same ((sputter or sputtered or sputtering) near silicon)) and (@ad<20040204 or @rlad<200				USPAT, US-PGPUB	2004/09/06	
(3) (r	107	BRS 5	("5907175" "6297083") and (@ad<20040204 or @rlad<20040204)				USPAT, US-PGPUB	2004/09/06	
(5) *6	108	BRS 14	((sputter or sputtered or sputtering) with silicon) and (@ad<20040204 or @rlad<20040204) and ((amo				USPAT, US-PGPUB	2004/09/06	
(0) ((109	BRS 1	((sputter or sputtered or sputtering) with silicon) and (@ad<20040204 or @rlad<20040204) and ((amo				USPAT, US-PGPUB	2004/09/06	
(0) ((110	BRS 1	((sputter or sputtered or sputtering) with silicon) and (@ad<20040204 or @rlad<20040204) and ((amo				USPAT, US-PGPUB	2004/09/06	
(0) (v	111	BRS 5	"5907175" "6297083"				USPAT, US-PGPUB	2004/09/06	
(4) (r	112	BRS 2	("5907175" "6297083").pn.				USPAT, US-PGPUB	2004/09/06	
(14) (113	BRS 8	("4924295"				USPAT, US-PGPUB	2004/09/06	
(10) (114	BRS 16	((resistor with ((sputter or sputtered or sputtering) near silicon)) and (@ad<20040204 or @rlad<20040				USPAT, US-PGPUB	2004/09/06	
(1) *5	115	BRS 9	((resistor with (sputter or sputtered or sputtering)) and (@ad<20040204 or @rlad<20040204) and (resi				USPAT, US-PGPUB	2004/09/06	
(7) *	116	BRS 14	(((resistor with (sputter or sputtered or sputtering)) and (@ad<20040204 or @rlad<20040204) and (resi				USPAT, US-PGPUB	2004/09/06	
(0) ((117	BRS 13	((((resistor with (sputter or sputtered or sputtering)) and (@ad<20040204 or @rlad<20040204) and (re				USPAT, US-PGPUB	2004/09/06	
(0) ((118	BRS 0	((US-5665629-\$ or US-5232865-\$ or US-6177701-\$ or US-6333542-\$ or US-6069398-\$ or US-6100126-				USPAT, US-PGPUB, JPO	2004/09/06	
(2) (v	119	BRS 3	((US-5665629-\$ or US-5232865-\$ or US-6177701-\$ or US-6333542-\$ or US-6069398-\$ or US-6100126-				USPAT, US-PGPUB, JPO	2004/09/06	
(0) ((120	BRS 8	("5330930"				USPAT, US-PGPUB	2004/09/06	
(0) (v	121	BRS 0	((sputter or sputtered or sputtering) with silicon) and (@ad<20040204 or @rlad<20040204) and ((amo				USPAT, US-PGPUB	2004/09/06	
(0) (v	122	BRS 7	((resistor with (sputter or sputtered or sputtering)) and (@ad<20040204 or @rlad<20040204) and (resi				USPAT, US-PGPUB	2004/09/06	
(0) (v	123	BRS 17	((resistor with (sputter or sputtered or sputtering)) and (@ad<20040204 or @rlad<20040204) and (resi				USPAT, US-PGPUB	2004/09/06	
(2) (v	124	BRS 2	"6130462" and (@ad<20040204 or @rlad<20040204)				USPAT, US-PGPUB	2004/09/06	
(0) (v	125	BRS 0	((amorphous with ((poly adi (si or silicon)) or poly\$1si or poly\$1silicon) with lpcvd)) and "6130462"				USPAT, US-PGPUB	2004/09/06	
(0) (v	126	BRS 0	((amorphous with ((poly adi (si or silicon)) or poly\$1si or poly\$1silicon) with lpcvd)) and 6130462.pn.				USPAT, US-PGPUB	2004/09/06	
(1) (v	127	BRS 18	(crvstalline with ((poly adi (si or silicon)) or poly\$1si or poly\$1silicon) with lncvd)				USPAT, US-PGPUB	2004/09/06	
(13) *									
Document Item Document Item Document Item Document Item Document Item Document Item Document Item Document Item Document Item Document Item									
File View Edit Tools Window Help									
D [Icons] [Buttons] [Icons] [Buttons]									
Saved									
		Type Hts	Search Text				DBs	Time Stamp	
(7) (85	BRS 27	(((stud or plug) adi resistor) and (@ad<20040204 or @rlad<20040204)) and semiconductor				USPAT, US-PGPUB	2004/09/03	
(16) (86	BRS 3	"6624526" and resistor				USPAT, US-PGPUB	2004/09/03	
(3) (r	87	BRS 13	"4290185"				USPAT, US-PGPUB	2004/09/03	
(8) (r	88	BRS 2	"6245627"				USPAT, US-PGPUB	2004/09/03	
(5) (l	89	BRS 8	("4727045"				USPAT, US-PGPUB	2004/09/03	
(2) (r	90	BRS 1	"20020172074" and resistor				USPAT, US-PGPUB	2004/09/03	
(1) (v	91	BRS 8	("6300180" "5938044") and (@ad<20040204 or @rlad<20040204)				USPAT, US-PGPUB	2004/09/03	
(8) (r	92	BRS 26	"5232865" and (@ad<20040204 or @rlad<20040204)				USPAT, US-PGPUB	2004/09/03	
(2) (v	93	BRS 7	"5232865"				USPAT, US-PGPUB	2004/09/03	
(13) (94	BRS 0	silicon adi implanted adi nitride				USPAT, US-PGPUB	2004/09/03	
(13) (95	BRS 20	silicon adi implanted adi oxide				USPAT, US-PGPUB	2004/09/03	
(5) *5	96	BRS 25	("5232865" and (@ad<20040204 or @rlad<20040204)) and resistor				USPAT, US-PGPUB	2004/09/05	
(9) (r	97	BRS 0	(resistor with refractive) and ((US-6333542-\$ or US-6177701-\$ or US-6069398-\$ or US-6100126-\$ or US				USPAT, US-PGPUB	2004/09/05	
(0) (v	98	BRS 5	(resistor with refractory) and ((US-6333542-\$ or US-6177701-\$ or US-6069398-\$ or US-6100126-\$ or U				USPAT, US-PGPUB	2004/09/05	
(0) (r	99	BRS 0	(((resistor with refractive)) and (@ad<20040204 or @rlad<20040204)) and (resistor with (plug or stud))				USPAT, US-PGPUB	2004/09/05	
(0) (r	100	BRS 2	("5422296"				USPAT, US-PGPUB	2004/09/05	
(1) (r	101	BRS 16	(resistor with ((sputter or sputtered or sputtering) near silicon))				USPAT, US-PGPUB	2004/09/06	
(34) (102	BRS 16	((resistor with ((sputter or sputtered or sputtering) near silicon)) and (@ad<20040204 or @rlad<20040				USPAT, US-PGPUB	2004/09/06	
(26) *	103	BRS 16	((sputter or sputtered or sputtering) near silicon) and (@ad<20040204 or @rlad<20040204) and (silicon				USPAT, US-PGPUB	2004/09/06	
(0) ((104	BRS 14	(((sputter or sputtered or sputtering) near silicon) and (@ad<20040204 or @rlad<20040204) and (silicon				USPAT, US-PGPUB	2004/09/06	
(0) (r	105	BRS 9	(((sputter or sputtered or sputtering) with silicon) and (@ad<20040204 or @rlad<20040204) and ((am				USPAT, US-PGPUB	2004/09/06	
(0) (r	106	BRS 21	(((resistor same ((sputter or sputtered or sputtering) near silicon)) and (@ad<20040204 or @rlad<200				USPAT, US-PGPUB	2004/09/06	
(3) (r	107	BRS 5	("5907175" "6297083") and (@ad<20040204 or @rlad<20040204)				USPAT, US-PGPUB	2004/09/06	
(5) *6	108	BRS 14	((sputter or sputtered or sputtering) with silicon) and (@ad<20040204 or @rlad<20040204) and ((amo				USPAT, US-PGPUB	2004/09/06	
(0) ((109	BRS 1	((sputter or sputtered or sputtering) with silicon) and (@ad<20040204 or @rlad<20040204) and ((amo				USPAT, US-PGPUB	2004/09/06	
(0) ((110	BRS 1	((sputter or sputtered or sputtering) with silicon) and (@ad<20040204 or @rlad<20040204) and ((amo				USPAT, US-PGPUB	2004/09/06	
(0) (v	111	BRS 5	"5907175" "6297083"				USPAT, US-PGPUB	2004/09/06	
(4) (r	112	BRS 2	("5907175" "6297083").pn.				USPAT, US-PGPUB	2004/09/06	
(14) (113	BRS 8	("4924295"				USPAT, US-PGPUB	2004/09/06	
(10) (114	BRS 16	((resistor with ((sputter or sputtered or sputtering) near silicon)) and (@ad<20040204 or @rlad<20040				USPAT, US-PGPUB	2004/09/06	
(1) *5	115	BRS 9	((resistor with (sputter or sputtered or sputtering)) and (@ad<20040204 or @rlad<20040204) and (resi				USPAT, US-PGPUB	2004/09/06	
(7) *	116	BRS 14	(((resistor with (sputter or sputtered or sputtering)) and (@ad<20040204 or @rlad<20040204) and (resi				USPAT, US-PGPUB	2004/09/06	
(0) ((117	BRS 13	((((resistor with (sputter or sputtered or sputtering)) and (@ad<20040204 or @rlad<20040204) and (re				USPAT, US-PGPUB	2004/09/06	
(0) ((118	BRS 0	((US-5665629-\$ or US-5232865-\$ or US-6177701-\$ or US-6333542-\$ or US-6069398-\$ or US-6100126-				USPAT, US-PGPUB, JPO	2004/09/06	
(2) (v	119	BRS 3	((US-5665629-\$ or US-5232865-\$ or US-6177701-\$ or US-6333542-\$ or US-606939						

Stücken & Pann.	Güldenstern	Braun	Meyer	Holz	Dreier	König	Rohr